



**1154 State Hwy 7 E  
Center, TX 75935  
936-598-6373  
[www.steelbuildingsupply.com](http://www.steelbuildingsupply.com)**

**Product Pricing Catalog**

# Quality and Service



**From start to finish, we manufacture our metal panels in-house. This assures that our customers get the best quality and the fastest service that we can provide.**



## Component Parts Sales Terms & Conditions

All Orders received for component parts will be honored at our factory in accordance with the following terms and conditions.

1. **DEPOSITS** - A 30% deposit is required when placing an order.
2. **F.O.B.** - All prices quoted are F.O.B. our plant.
3. **TELEPHONE ORDERS** - Steel Building Supply, Inc. assumes no responsibility for the accuracy of the orders placed over the telephone.
4. **MANUFACTURING** - All orders for materials are normally ready for pickup in (5) five to (7) seven working days, depending on the type of materials ordered. Any discrepancies in orders must be reported within one week after pickup. All orders not picked up after (30) thirty days will be sold.
5. **CANCELLATIONS OR CHANGES** - Cancellations or changes will not be accepted after an order has been placed and manufacturing has begun. Any refunds given on returnable items will be charged a 10% restocking fee. (Any manufactured items are not returnable.)
6. **PRICE CHANGES** - Prices are subject to change without notice.
7. **SPECIAL ORDER ITEMS** - Items which we do not stock, and must special ordered are subject to a 50% deposit before it will be ordered and will be charged freight.
8. **STORAGE** - Galvalume, galvanized and painted sheet metal have a good service life when exposed to normal weather conditions. However, these same sheets are subject to stain when water sits upon or becomes trapped between the sheets. If sheets are to be stored for any period of time, they should be unbundled and stood on end against an interior wall. Metal should be spread or fanned out at the bottom ends to allow for air circulations and should be off the ground on blocks. Never cover the material with plastic as this promotes sweating. Failure to follow these steps may result in water stains and premature white rusting which the manufacturer cannot be held responsible for.
9. **CUTTING** - When using a power saw to cut metal panels several precautions should be taken. Place the bottom (interior) surface of the sheet up and cover remaining sheets with a tarp to protect the top (exterior) surface from the hot metal filings and reduce the chance of damage. When doing the actual cutting, be sure to wear protective eyeglasses, and do it away from other unused or applied panels. Metal filings may become embedded in the surface of the sheet and if left alone will rust quickly. Be sure to wipe all filings from both surfaces before application, and remove filings made by screws immediately after application.
10. **DELIVERY** - Steel Building Supply, Inc. offers delivery right to your home or job sight. Delivery charges are based on mileage, so call for prices.

**PBR Panel 40 year limited warranty**

**26 GA Panel**

**Group 1:** Ash Gray, Black, Burnished Slate, Charcoal Gray, Cocoa Brown, Colony Green, Crimson Red, Crinkle Black, Crinkle Charcoal, Desert Sand, Emerald Green, Fern Green, Frost White, Hawaiian Blue,


Ivory Cream, Light Gray, Light Stone, Rustic Red, Saddle Tan, Stealth Black, Steel Gray, Taupe

**Group 2:** Gallery Blue, Matte Black, Matte Burnished Slate, Matte Charcoal

**Group 3:** Copper Metallic

**Group 4:** Barnwood

Galvalume (25 year limited warranty)



**Ag Panel 40 year limited warranty**

**26 GA Panel**

**Group 1:** Ash Gray, Black, Burnished Slate, Charcoal Gray, Cocoa Brown, Colony Green, Crimson Red, Crinkle Black, Crinkle Charcoal, Desert Sand, Emerald Green, Fern Green, Frost White, Hawaiian Blue,

Ivory Cream, Light Gray, Light Stone, Rustic Red, Saddle Tan, Stealth Black, Steel Gray, Taupe

**Group 2:** Gallery Blue, Matte Black, Matte Burnished Slate, Matte Charcoal

**Group 3:** Copper Metallic

**Group 4:** Barnwood


Galvalume (25 year limited warranty)

**29 GA Panel**

**Group 1:** Ash Gray, Burnished Slate, Charcoal Gray, Cocoa Brown, Desert Sand, Emerald Green, Fern Green, Frost White, Hawaiian Blue, Ivory Cream, Light Gray, Light Stone, Rustic Red, Saddle Tan, Steel Gray, Taupe

**Group 2:** Real Tree

Galvalume (25 year limited warranty)



**We provide #2 panels.**

**There is NO Warranty on Seconds.**

**On all seconds and special orders on other colors, please call for pricing.**

# Panel

## Soffit Panel

26 GA

24 GA

**Group 1:** Ash Gray, Black, Burnished Slate, Charcoal Gray, Cocoa Brown, Colony Green, Crimson Red, Crinkle Black, Crinkle Charcoal, Desert Sand, Emerald Green, Fern Green, Frost White, Hawaiian Blue, Ivory Cream, Light Gray, Light Stone, Rustic Red, Saddle Tan, Stealth Black, Steel Gray, Taupe

**Group 2:** Gallery Blue, Matte Black, Matte Burnished Slate, Matte Charcoal

**Group 3:** Copper Metallic

**Group 4:** Barnwood

Galvalume (25 year limited warranty)

\*

\*

\*

\*

\*


\*

\*

\*

\*

\*



## Snap Lock Panel

26 GA

24 GA

**Group 1:** Ash Gray, Black, Burnished Slate, Charcoal Gray, Cocoa Brown, Colony Green, Crimson Red, Crinkle Black, Crinkle Charcoal, Desert Sand, Emerald Green, Fern Green, Frost White, Hawaiian Blue, Ivory Cream, Light Gray, Light Stone, Rustic Red, Saddle Tan, Stealth Black, Steel Gray, Taupe

**Group 2:** Gallery Blue, Matte Black, Matte Burnished Slate, Matte Charcoal

**Group 3:** Copper Metallic

**Group 4:** Barnwood

Galvalume (25 year limited warranty)

\*

\*

\*

\*

\*

\*


\*

\*

\*

\*

\*Due to market fluctuations, call for current price/availability



Standard Colors: Ash Gray, Barnwood, Black, Burnished Slate, Charcoal Gray, Cocoa Brown, Colony Green, Copper Metallic, Crimson Red, Crinkle Black, Crinkle Charcoal, Desert Sand, Emerald Green, Fern Green, Frost White, Gallery Blue, Hawaiian Blue, Ivory Cream, Light Gray, Light Stone, Matte Black, Matte Burnished Slate, Matte Charcoal, Rustic Red, Saddle Tan, Stealth Black, Steel Gray, Taupe



**Downspouts** Colors Galvalume

PE29 /ft  
LENGTHS: 8' 6", 10'6", 12'6", 14'6", 16'6", 18' 6", or 21' 6"

**Kick for Downspout**


PEK each

**Elbow (45 or 90)**

PE445 or PE490 each


**Residential Eave**

PE511 /ft  
LENGTHS: 8' 6", 10'6", or 12'6"  
Specify Roof Pitch




**Eave**

PE5 /ft  
LENGTHS: 8' 6", 10'6", or 12'6"



**Small Top Eave**

PE500 /ft  
LENGTHS: 8' 6", 10'6", 12'6"




**Flat Sheet**

PE310 /ft  
LENGTHS: UP TO 21'




**Base Trim**

PE44 /ft  
LENGTHS: 8' 6", 10'6", or 12'6"




**4 1/8" Post Wrap**

PE24 /ft  
LENGTHS: 8' 6", 10'6", or 12'6"




# Trim - Universal




## 1x1 Angle with Hem

PE56 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"




## 1 1/2 x 1 1/2 Angle with Hem

PE53 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"




## 2x2 Angle with Hem

PE51 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"




## 2x3 Angle with Hem

PE48 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"




## 3x3 Angle with Hem

PE50 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"




## 4x4 Angle with Hem

PE37 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"



## 1x1 Angle

PE58 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"



## 2x2 Angle

PE59 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"




## 3x3 Angle

PE60 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"



## 4x4 Angle

PE61 /ft  
 LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"




### Rollup Door - 8" Cee Cover

Colors

Galvalume

PE700  
LENGTHS: 8' 6", 10' 6", or 12' 6"  
Specify Roof Pitch


/ft



### Skirt Base

PE46  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft



### Transitional Flashing (Pitch- 12 to 12)

PE75  
LENGTHS: 8' 6", 10' 6", or 12' 6"


/ft



### Endwall Flashing (Pitch- 12 off 90°)

PE76  
LENGTHS: 8' 6", 10' 6", or 12' 6"


/ft



### Valley

PE15  
LENGTHS: 8' 6", 10' 6", or 12' 6"


/ft



### Valley - Open Hem

PE34  
LENGTHS: 8' 6", 10' 6", or 12' 6"


/ft



### Ridge Row

PE32  
LENGTHS: 8' 6", 10' 6", or 12' 6"


/ft



### 1/2 Sheet Ridge Row

PE38  
LENGTHS: 8' 6", 10' 6", or 12' 6"  
Specify Roof Pitch

/ft




### Ridge Row - 5 bends

PE36  
LENGTHS: 8' 6", 10' 6", or 12' 6"  
Specify Roof Pitch


/ft






**Sculptured Rake For Ag Panel**      Colors      Galvalume

PE31      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**High Side Sculptured Rake For Ag Panel**

PE62      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"  
Specify Roof Pitch




**J-Trim For Ag Panel**

PE6      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Sidewall Flashing For Ag Panel**

PE78      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**4" Cee Cover For Ag Panel**

PE20      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**6" Cee Cover For Ag Panel**

PE17      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**8" Cee Cover For Ag Panel**

PE7      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Post Frame Corner For Ag Panel** Colors Galvalume

PE100 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"



**Inside PFC For Ag Panel**

PE110 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"



**Roof Corner For Ag Panel**


PE72 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

**Peak Boxes - Square For Ag Panel**

PE210 each  
Specify Roof Pitch


**Peak Boxes - Sculptured For Ag Panel**

PE200 each  
Specify Roof Pitch




**Sculptured Gutter - Lip In For Ag Panel**

PE28 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Sculptured Eave For PBR Panel** Colors Galvalume

PE40 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Sidewall Flashing For PBR Panel**

PE77 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Corner For PBR Panel**

PE130 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**5x5 Corner For PBR Panel**

PE501 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**6x6 Corner For PBR Panel**

PE600 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Inside Corner For PBR Panel**

PE190 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Roof Corner For PBR Panel**

PE74 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"



**Gable Extension Offset For PBR Panel**

PE170 /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"



### Eave Strut Offset For PBR Panel


Colors

Galvalume

PE171

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"  
Specify Pitch

/ft




### Sculptured Rake For PBR Panel

PE10

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft




### High Side Sculptured Rake For PBR Panel

PE41

LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"  
Specify Roof Pitch

/ft




### Rake For PBR Panel

PE120

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft




### Gutter - Lip Out For PBR Panel

PE13

LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"

/ft




### Gutter - Lip In For PBR Panel

PE14

LENGTHS: 8' 6", 10' 6", 12' 6", or 14' 6"

/ft




### Sculptured Gutter - 6" For PBR Panel

PE11

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft




### Sculptured Gutter - 5" For PBR Panel

PE12


LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft




**Peak Sheets For PBR Panel**      Colors      Galvalume

DIER      each  
Specify Roof Pitch




**4" Cee Cover For PBR Panel**

PE20      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Sculptured 4" Cee Cover (Small) For PBR Panel**

PE22      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Sculptured 4" Cee Cover (Large) For PBR Panel**

PE21      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**6" Cee Cover For PBR Panel**

PE17      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Sculptured 6" Cee Cover (Small) For PBR Panel**

PE19      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"




**Sculptured 6" Cee Cover (Large) For PBR Panel**

PE18      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"



**8" Cee Cover For PBR Panel**

PE7      /ft  
LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"



**Sculptured 8" Cee Cover (Small)  
For PBR Panel**


Colors

Galvalume

PE9

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft



**Sculptured 8" Cee Cover (Large)  
For PBR Panel**

PE8

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft

**Peak Boxes - Square  
For PBR Panel**

PE140

each

Specify Roof Pitch

Specify Short or Long Side Down


**Peak Boxes - Sculptured  
For PBR Panel**

PE150

each

Specify Roof Pitch

**Header  
For PBR Panel**




PE4

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft

**Jamb  
For PBR Panel**




PE3

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft

**Partition Top  
For PBR Panel**




PE172

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft

**L Starter  
For PBR Panel**



PE95

LENGTHS: 8' 6", 10' 6", 12' 6", 14' 6", 16' 6", 18' 6", or 21' 6"

/ft

**Special Trim**

Available upon request. Call for Pricing

**Long Life Self Drillers 250 per bag**



12 X 3/4	bag
12 X 1	bag
12 X 1 1/4	bag
12 X 1 1/2	bag
12 X 2	bag
12 X 1 (Without Washer)	bag

**Long Life Wood Grips, Self Tapping 250 per bag**



10 X 1	bag
10 X 1 1/2	bag
10 X 2	bag
10 X 3	bag
14 X 1 1/2	bag

**Phillips Plymetal Flat Heads 250 per bag**



10 X 1 7/16	bag
12 X 2	bag
1/4 X 2 3/4	bag



**Lap Self Drillers 100 per bag**

14x7/8	bag
--------	-----



**Pop Rivets 100 per bag**

1/8"	bag
------	-----

**Tex 5 Self Drillers 250 per bag**

1 1/4"	bag
--------	-----



**Seal Tape**

1" X 3/32" X 45' Roll	each
3/8" X 3/32" X 45' Roll	each

**Sealant Clear White**

Tube Sealant	each
--------------	------

**Closure With Adhesive**



PBR Panel / Outside	each
PBR Panel / Inside	each
Ag Panel / Outside	each
Ag Panel / Inside	each
Universal	N/A each
AST Acrylic 1" X 1 1/2" x 15' Roll	N/A each

## Hex Bolt & Nut



1/2 X 1 1/4	A325Y	each
1/2 X 1 1/2	A325Y	each
1/2 X 2	A325Y	each
5/8 X 1 1/2	A325Y	each
5/8 X 1 3/4	A325Y	each
5/8 X 2	A325Y	each
5/8 X 2 1/2	A325Y	each
3/4 X 1 3/4	A325Y	each
3/4 X 2	A325Y	each
3/4 X 2 1/4	A325Y	each
3/4 X 2 1/2	A325Y	each



## Anchor Plate

3/8" X 6" X 6" (4 Bolts)	each
3/8" X 6" X 10" (4 Bolts)	each
1/2" X 6" X 14" (6 Bolts)	each

## Wedge Anchor



1/4 X 2 1/4	each
3/8 X 2 3/4	each
1/2 X 3 3/4	each
1/2 X 5 1/2	each
5/8 X 6	each
3/4 X 5 1/2	each

## Pin Anchor



1/4" X 1"	each
1/4" X 2"	each

## Anchor Bolt




1/2 X 6"	each
1/2 X 8"	each
1/2 X 10"	each
5/8 X 12"	each
3/4 X 10"	each
3/4 X 15"	each
3/4 X 24"	each
7/8 X 30"	each
1 X 30"	each



# Miscellaneous


## Roof Jacks



#3	1/4" to 4"	each
#5	4" to 7"	each
#7	6" to 11"	each
#8	7" to 13"	each
#9	10" to 18"	each
#10	13" to 26"	each
#101 Retrofit	1/2" to 4"	each
#201 Retrofit	4" to 9 1/4"	each
#8 Silicone Heat Resistant		each

## Skylights

## Fiberglass



AG Panel - 12' Lengths - Fiberglass	each
PBR Panel - 12' Lengths - Fiberglass	each

## Cable Bracing



5/16 Cable 250' Roll	Roll
Custom lengths of cable available	/ft
Eyebolt with Hillside Washer	each
Grip	each

## Paint

Touch-Up Spray Paint for Sheets and Trim (6 oz)	each
Red Primer (1 Gallon)	each
Red Primer (5 Gallons)	each
Touch-Up Red Primer Spray Paint	each

## Straps

2" Nylon Tie Down	each
-------------------	------




## Turtlebox Speakers & Buck Knives!





## PSP Reinforced Backed

3PSP6E	3" X 6' Wide	/ft
3PSP52E	3" X 6' X 52' Roll (Stock)	each
3PSP100E	3" X 6' X 100' Roll (Stock)	each
Special orders available		



## R-Foil Quick Seam

SB	Single Bubble 74" X 125'	each
----	--------------------------	------

## Sol-R-Eclipse (with tape)

SEFF	6' X 125' Roll Foil/Foil (Stock)	each
SEWF	6' X 125' Roll White/Foil (Stock)	each


## Insulation accessories

2" Wire Mesh:	6' X 150' Roll	each
Double Sided Insulation Tape	(180' Roll)	each
PSP Patch Tape	(150' Roll)	each



## Circular Vents      White or Galvalume

12" Diameter	each
20" Diameter	each
For Die Formed Base Add	each



## Continuous Vents

White

Galvalume

9" X 10' Without Damper	each
9" X 10' With Damper	each
For Die Formed Base Add	each
Die Formed Flashing 10'	each

## Profile Vent

Ag Panel (25' Roll)	each
PBR Panel (25' Roll)	each



## Down Spout Accessories

Down Spout Adapter - PVC 4x5	each
Down Spout Outlet - Galv 4x5	each





Width X Height	Series	
----------------	--------	--

3' X 7'	650	each
4' X 7'	650	each
6' X 7'	650	each
8' X 7'	650	each
10' X 10'	650	each

ALL MINI DOORS EQUIPPED WITH BEARINGS PLATES AND A LATCH  
SPECIAL SIZES AND COLORS AVAILABLE UPON REQUEST

8'X8'	1950B	each
10' X 8'	1950B	each
10' X 10'	1950B	each

10' X 10'	1000	each
10' X 12' with Chain Hoist	1000	each
12' X 10' with Chain Hoist	1000	each
12' X 12' with Chain Hoist	1000	each




10' X 10'	2000	each
12' X 8'	2000	each
12' X 10' with Chain Hoist	2000	each
12' X 12' with Chain Hoist	2000	each
12' X 14' with Chain Hoist	2000	each
12' X 16' with Chain Hoist	2000	each

12' X 14' with Chain Hoist	2500	each
14' X 8' with Chain Hoist	2500	each
14' X 10' with Chain Hoist	2500	each
14' X 14' with Chain Hoist	2500	each
16' X 14' with Chain Hoist	2500	each
16' X 16' with Chain Hoist	2500	each

14' X 14' with Chain Hoist	3100	each
16' X 14' with Chain Hoist	3100	each
16' X 16' with Chain Hoist	3100	each
18' X 14' with Chain Hoist	3100	each


COMMERCIAL PRICES INCLUDE MOUNTING PLATES.  
SPECIAL SIZES AND COLORS AVAILABLE UPON REQUEST



## #1 Wide Flange Beam Most Popular Size

6"X9#    8"X10#    8"X15#    10"X12#  
 12"X16#    12"X19#    14"X22#    14"X26#  
 16"X31#    18"X35#


LENGTHS AVAILABLE: 30', 40', 50', AND 60'  
 Other sizes available upon request  
 Due to market fluctuations, call for current price.



## Angle Iron Most Popular Size

1"X1"X1/8"    1 1/2"X1 1/2"X1/8"    2"X2"X1/8"    2"X2"X1/4"  
 3"X3"X3/16"    3"X3"X1/4"    4"X4"X1/4"


LENGTHS AVAILABLE: 20'  
 Due to market fluctuations, call for current price.



## Flat Bar Most Popular Size

1/8"X2"    1/4"X2"    1/4"x4"    1/4"X6"    1/4"X4"    1/4"X6"  
 1/2"X4"    1/8"X4"    1/2"x5"    1/2"X6"    1/2"X8"    1/4"X10"

LENGTHS AVAILABLE: 20'  
 Due to market fluctuations, call for current price.



## Expanded Metal

1/2" X 16# Flat    3/4"X9# Flat    3/4"X10# Flat    1 1/2X10# Flat  
 3/4"X9# Std    3/4"X10# Std    #3 Grating


Due to market fluctuations, call for current price.

## Square Tubing Galvanized


2", 3" and 4" \*

Available in random lengths

\*Due to market fluctuations, call for current price.




Square Tubing	Red Primed	20'	24'
1/2" x 1/2"	16 GA	N/A	each
3/4" x 3/4"	16 GA	N/A	each
1" x 1"	14 GA		each
1 1/2 x 1 1/2"	14 GA		each
2" x 2"	14 GA		each
4" x 4"	14 GA		each
4" x 4"	11 GA		each




Cee and Zee Sections	Red Primed	Galvanized
4" X 2" 14 GA		N/A /L.ft
6" X 2" 14 GA		N/A /L.ft
4" X 2 1/2" 16 GA		N/A /L.ft
4" X 2 1/2" 14 GA		/L.ft
6" X 2 1/2" 14 GA		/L.ft
8" X 2 1/2" 16 GA		/L.ft
8" X 2 1/2" 14 GA		/L.ft
8" X 2 1/2" 12 GA		/L.ft
10" X 2 1/2" 16 GA		/L.ft
10" X 2 1/2" 14 GA		/L.ft
10" X 2 1/2" 12 GA		/L.ft
8" X 3 1/2" 16 GA		/ft
8" X 3 1/2" 14 GA		/ft
8" X 3 1/2" 12 GA		/ft


Stock lengths available: 20', 25' and 30' - Red Cee Sections Only  
Custom lengths available upon request



Imported Cee (Mexico)	20ft	25ft	30ft
4" X 1 1/2" 14 GA			each
6" X 2" 14 GA (Limited Stock)			each
8" X 2 1/2" 14 GA			each




Open Cee	Red Primed	Galvanized
4 1/8" X 3" Leg 14 GA		/L.ft
6 1/8" X 2" Leg 14 GA		/L.ft
6 1/8" X 3" Leg 14 GA		/L.ft
8 1/8" X 2" Leg 14 GA		/L.ft
8 1/8" X 3" Leg 14 GA		/L.ft





Eave Struts	Red Primed	Galvanized
4" X 2 1/2" X 4" 14 GA		/L.ft
6" X 2 1/2" X 4" 14 GA		/L.ft
8" X 2 1/2" X 4" 14 GA		/L.ft
8" X 3" X 5" 14 GA		/L.ft

Punching Available



Base Angle	Red Primed	Galvanized
2" X 2" 14 GA		N/A /L.ft
2" X 4" 14 GA		/L.ft

Stock lengths available: 20' and 25'



A, B, & G Punched		Red Primed	Galvanized
	4" X 2 1/2" 16 GA	*	*
	4" X 2 1/2" 14 GA	*	*
	6" X 2 1/2" 16 GA	*	N/A
	6" X 2 1/2" 14 GA	*	*
	8" X 2 1/2" 16 GA	*	*
	8" X 2 1/2" 14 GA	*	*
	8" X 2 1/2" 12 GA	*	*
	10" X 2 1/2" 16 GA	*	*
	10" X 2 1/2" 14 GA	*	*
	10" X 2 1/2" 12 GA	*	*
	6" X 3 1/2" 16 GA	*	N/A
	6" X 3 1/2" 14 GA	*	N/A
	6" X 3 1/2" 12 GA	*	N/A
	10" X 3 1/2" 16 GA	*	*
	10" X 3 1/2" 14 GA	*	*
	10" X 3 1/2" 12 GA	*	*

Some special punching is available.


\*Due to market fluctuations, call for current price.

**Ask your Sales Representative about our Prefab Metal Buildings. A complete building package that may meet your needs.**


## For Cees and Zees Pattern A




### Pattern G



### Pattern SL




### Pattern B




## For Cees and Zees Lap Pattern B

(All laps available in Pattern A plus 5' Offset and Super Lap)

**FIVE FOOT  
OFFSET LAP**




**SUPER LAP**





## For Cees and Zees Lap Pattern A



## Common Rafter Lengths

(Peak to Side Wall)

Running Feet	1:12 Pitch	2:12 Pitch	3:12 Pitch	4:12 Pitch	5:12 Pitch	6:12 Pitch
1	1' 0"	1' 0-1/8"	1' 0-3/8"	1' 0-5/8"	1' 1"	1' 1-3/8"
2	2' 0-1/8"	2' 0-3/8"	2' 0-3/4"	2' 1-1/4"	2' 2"	2' 2-7/8"
3	3' 0-1/8"	3' 0-1/2"	3' 1-1/8"	3' 2"	3' 3"	3' 4-1/4"
4	4' 0-1/8"	4' 0-5/8"	4' 1-1/2"	4' 2-5/8"	4' 4"	4' 5-5/8"
5	5' 0-1/4"	5' 0-7/8"	5' 1-7/8"	5' 3-1/4"	5' 5"	5' 7-1/8"
6	6' 0-1/4"	6' 1"	6' 2-1/4"	6' 3-7/8"	6' 6"	6' 8-1/2"
7	7' 0-1/4"	7' 1-1/8"	7' 2-5/8"	7' 4-1/2"	7' 7"	7' 9-7/8"
8	8' 0-3/8"	8' 1-3/8"	8' 3"	8' 5-1/4"	8' 8"	8' 11-3/8"
9	9' 0-3/8"	9' 1-1/2"	9' 3-3/8"	9' 5-7/8"	9' 9"	10' 0-3/4"
10	10' 0-3/8"	10' 1-5/8"	10' 3-3/4"	10' 6-1/2"	10' 10"	11' 2-1/8"
11	11' 0-1/2"	11' 1-7/8"	11' 4-1/8"	11' 7-1/8"	11' 11"	12' 3-5/8"
12	12' 0-1/2"	12' 2"	12' 4-3/8"	12' 7-3/4"	13' 0"	13' 5"
13	13' 0-1/2"	13' 2-1/8"	13' 4-3/4"	13' 8-1/2"	14' 1"	14' 6-3/8"
14	14' 0-5/8"	14' 2-3/8"	14' 5-1/8"	14' 9-1/8"	15' 2"	15' 7-7/8"
15	15' 0-5/8"	15' 2-1/2"	15' 5-1/2"	15' 9-3/4"	16' 3"	16' 9-1/4"
16	16' 0-5/8"	16' 2-5/8"	16' 5-7/8"	16' 10-3/8"	17' 4"	17' 10-5/8"
17	17' 0-5/8"	17' 2-7/8"	17' 6-1/4"	17' 11"	18' 5"	19' 0-1/8"
18	18' 0-3/4"	18' 3"	18' 6-5/8"	18' 11-5/8"	19' 6"	20' 1-1/2"
19	19' 0-3/4"	19' 3-1/8"	19' 7"	20' 0-3/8"	20' 7"	21' 2-7/8"
20	20' 0-7/8"	20' 3-3/8"	20' 7-3/8"	21' 1"	21' 8"	22' 4-3/8"
21	21' 0-7/8"	21' 3-1/2"	21' 7-3/4"	22' 1-5/8"	22' 9"	23' 5-3/4"
22	22' 0-7/8"	22' 3-5/8"	22' 8-1/8"	23' 2-1/4"	23' 10"	24' 7-1/8"
23	23' 1"	23' 3-3/4"	23' 8-1/2"	24' 3"	24' 11"	25' 8-5/8"
24	24' 1"	24' 4"	24' 8-7/8"	25' 3-5/8"	26' 0"	26' 10"
25	25' 1"	25' 4-1/8"	25' 9-1/4"	26' 4-1/4"	27' 1"	27' 11-3/8"
26	26' 1-1/8"	26' 4-1/4"	26' 9-1/2"	27' 5"	28' 2"	29' 0-3/4"
27	27' 1-1/8"	27' 4-1/2"	27' 9-7/8"	28' 5-5/8"	29' 3"	30' 2-1/4"
28	28' 1-1/8"	28' 4-3/4"	28' 10-1/4"	29' 6-1/4"	30' 4"	31' 3-3/4"
29	29' 1-1/4"	29' 4-7/8"	29' 10-5/8"	30' 6-7/8"	31' 5"	32' 5-1/8"
30	30' 1-1/4"	30' 5"	30' 11"	31' 7-1/2"	32' 6"	33' 6-1/2"
31	31' 1-3/8"	31' 5-1/8"	31' 11-3/8"	32' 8-1/8"	33' 7"	34' 7-7/8"
32	32' 1-3/4"	32' 5-1/4"	32' 11-3/4"	33' 8-3/4"	34' 8"	35' 9-1/4"
33	33' 1-1/2"	33' 5-1/2"	34' 0-1/8"	34' 9-3/8"	35' 9"	36' 10-3/4"
34	34' 1-1/2"	34' 5-3/4"	35' 0-1/2"	35' 10"	36' 10'	38' 0-1/4"
35	35' 1-1/2"	35' 5-7/8"	36' 0-7/8"	36' 10-5/8"	37' 11"	39' 1-5/8"





**Steel Building Supply, Inc. also offers prefab buildings and mini-warehouses. Call us at 936-598-6373 for a quote or come by our office and visit with one of our friendly sales representatives. We'll be glad to see you.**

